










# NITY STANDARDOWE – KOŁNIERZ PŁASKI

Aluminium ( AlMg 3 ) / Stal nierdzewna A2 (1.4301) - EN ISO 15978

## STANDARD BLIND RIVETS – DOME HEAD

Aluminium ( AlMg 3 ) / Stainless steel A2 (1.4301) – EN ISO 15978












								kod	
3,0 (+0,08/-0,10)	4,0	0,5-1,5	6,5 (+0/-0,7)	0,8 (+/-0,20)	3,1	810	620	AN030004	1000
	6,0	1,5-3,5						AN030006	1000
	8,0	3,5-5,5						AN030008	1000
	10,0	5,5-7,5						AN030010	1000
	12,0	7,0-9,0						AN030012	1000
	14,0	9,0-11,0						AN030014	1000
	16,0	11,0-13,0						AN030016	1000
3,2 (+0,08/-0,10)	6,0	1,5-3,0	6,5 (+0/-0,7)	0,8 (+/-0,20)	3,3	980	760	AN032006	1000
	8,0	3,0-5,0						AN032008	1000
	10,0	5,0-7,0						AN032010	1000
	12,0	7,0-9,0						AN032012	1000
	14,0	9,0-11,0						AN032014	1000
	16,0	11,0-13,0						AN032016	1000
	18,0	13,0-15,0						AN032018	500
	20,0	15,0-17,0						AN032020	500
4,0 (+0,08/-0,15)	6,0	1,0-2,0	8,0 (+0/-1,0)	1,0 (+/-0,30)	4,1	1600	1200	AN040006	1000
	8,0	2,0-4,0						AN040008	1000
	10,0	4,0-6,0						AN040010	1000
	12,0	6,0-8,0						AN040012	1000
	14,0	8,0-10,0						AN040014	500
	16,0	10,0-12,5						AN040016	500
	18,0	12,5-15,0						AN040018	500
	20,0	15,0-17,0						AN040020	500
4,8 (+0,08/-0,15)	6,0	1,0-3,0	9,5 (+0/-1,0)	1,1 (+/-0,30)	4,9	2230	1690	AN048006	500
	8,0	2,0-3,5						AN048008	500
	10,0	3,5-5,5						AN048010	500
	12,0	5,5-7,5						AN048012	500
	14,0	7,5-9,5						AN048014	500
	16,0	9,0-11,0						AN048016	500
	18,0	11,0-13,0						AN048018	500
	20,0	13,0-16,5						AN048020	500
	25,0	16,5-20,0						AN048025	250
	30,0	20,0-25,0						AN048030	250

**NITY STANDARDOWE – KOŁNIERZ PŁASKI**  
 Aluminium ( AlMg 3 ) / Stal nierdzewna A2 (1.4301) - EN ISO 15978

**STANDARD BLIND RIVETS – DOME HEAD**

Aluminium ( AlMg 3 ) / Stainless steel A2 (1.4301) – EN ISO 15978



								kod	
5,0 (+0,08/-0,15)	6,0	1,0-3,0	9,5 (+0/-1,0)	1,1 (+/-0,30)	5,1	2500	2000	AN050006	500
	8,0	2,0-3,5						AN050008	500
	10,0	3,5-5,5						AN050010	500
	12,0	5,5-7,5						AN050012	500
	14,0	7,5-9,5						AN050014	500
	16,0	9,0-11,0						AN050016	500
	18,0	11,0-13,0						AN050018	500
	20,0	13,0-16,5						AN050020	500
	25,0	16,5-20,0						AN050025	250
	30,0	20,0-25,0						AN050030	250
6,0 (+0,08/-0,15)	8,0	2,5-4,5	12,0 (+0/-1,5)	1,5 (+/-0,40)	6,1	3900	3000	AN060008	250
	10,0	4,5-6,0						AN060010	250
	12,0	6,0-8,0						AN060012	250