



Tulejki dystansowe

Threaded Spacers | Abstandsbolzen

SW 4 * SW 5



Kod Code Artikel-Nr.	SW	(mm)		Gwint Thread Gewinde
		L	C	
ZZ 205	4	5	5	M 2
ZZ 206	4	6	6	M 2
ZZ 208	4	8	8	M 2
ZZ 210	4	10	10	M 2
ZZ 212	4	12	12	M 2
ZZ 215	4	15	6	M 2

ZZ 2505	5	5	5	M 2,5
ZZ 2506	5	6	6	M 2,5
ZZ 2508	5	8	8	M 2,5
ZZ 2510	5	10	10	M 2,5
ZZ 2512	5	12	12	M 2,5
ZZ 2515	5	15	15	M 2,5
ZZ 2518	5	18	18	M 2,5
ZZ 2520	5	20	20	M 2,5
ZZ 2525	5	25	5	M 2,5
ZZ 2530	5	30	5	M 2,5
ZZ 2535	5	35	5	M 2,5
ZZ 2540	5	40	5	M 2,5
ZZ 2545	5	45	5	M 2,5

Materiał: Mosiądz (CuZn39Pb3)

Material: Brass (CuZn39Pb3)

Werkstoff: Messing (CuZn39Pb3)

Powierzchnia: Nikiel

Surface: Nickel

Oberfläche: Vernickelt





HS TECHNIK, Złotniki 18a, 59-223 Krotoszyce
tel. (+48) 663 73 63 63, tel. (+48) 76 745 44 14
e-mail: biuro@hs-technik.com.pl, www.hs-technik.com.pl

Tulejki dystansowe

Threaded Spacers | Abstandsbolzen

SW 5



Kod Code Artikel-Nr.	SW	(mm)		Gwint Thread Gewinde
		L	C	
ZZ 305/5	5	5	5	M 3
ZZ 306/5	5	6	6	M 3
ZZ 307/5	5	7	7	M 3
ZZ 308/5	5	8	8	M 3
ZZ 309/5	5	9	9	M 3
ZZ 310/5	5	10	10	M 3
ZZ 311/5	5	11	11	M 3
ZZ 312/5	5	12	12	M 3
ZZ 313/5	5	13	13	M 3
ZZ 314/5	5	14	14	M 3
ZZ 315/5	5	15	15	M 3
ZZ 316/5	5	16	16	M 3
ZZ 317/5	5	17	17	M 3
ZZ 318/5	5	18	18	M 3
ZZ 320/5	5	20	20	M 3
ZZ 325/5	5	25	6	M 3
ZZ 330/5	5	30	6	M 3
ZZ 335/5	5	35	6	M 3
ZZ 340/5	5	40	6	M 3
ZZ 345/5	5	45	6	M 3
ZZ 350/5	5	50	6	M 3

Materiał: Mosiądz (CuZn39Pb3)

Material: Brass (CuZn39Pb3)

Werkstoff: Messing (CuZn39Pb3)

Powierzchnia: Nikiel

Surface: Nickel

Oberfläche: Vernickelt





HS TECHNIK, Złotniki 18a, 59-223 Krotoszyce
tel. (+48) 663 73 63 63, tel. (+48) 76 745 44 14
e-mail: biuro@hs-technik.com.pl, www.hs-technik.com.pl

Tulejki dystansowe

Threaded Spacers | Abstandsbolzen

SW 5,5



Kod Code Artikel-Nr.	SW	(mm)		Gwint Thread Gewinde
		L	C	
ZZ 305/5,5	5,5	5	5	M 3
ZZ 306/5,5	5,5	6	6	M 3
ZZ 307/5,5	5,5	7	7	M 3
ZZ 308/5,5	5,5	8	8	M 3
ZZ 309/5,5	5,5	9	9	M 3
ZZ 310/5,5	5,5	10	10	M 3
ZZ 311/5,5	5,5	11	11	M 3
ZZ 312/5,5	5,5	12	12	M 3
ZZ 313/5,5	5,5	13	13	M 3
ZZ 313,5/5,5	5,5	13,5	13,5	M 3
ZZ 314/5,5	5,5	14	14	M 3
ZZ 315/5,5	5,5	15	15	M 3
ZZ 316/5,5	5,5	16	16	M 3
ZZ 317/5,5	5,5	17	17	M 3
ZZ 318/5,5	5,5	18	18	M 3
ZZ 320/5,5	5,5	20	20	M 3
ZZ 325/5,5	5,5	25	8	M 3
ZZ 330/5,5	5,5	30	8	M 3
ZZ 335/5,5	5,5	35	8	M 3
ZZ 340/5,5	5,5	40	8	M 3
ZZ 345/5,5	5,5	45	8	M 3
ZZ 350/5,5	5,5	50	8	M 3

Materiał: Mosiądz (CuZn39Pb3)

Material: Brass (CuZn39Pb3)

Werkstoff: Messing (CuZn39Pb3)

Powierzchnia: Nikiel

Surface: Nickel

Oberfläche: Vernickelt





HS TECHNIK, Złotniki 18a, 59-223 Krotoszyce
tel. (+48) 663 73 63 63, tel. (+48) 76 745 44 14
e-mail: biuro@hs-technik.com.pl, www.hs-technik.com.pl

Tulejki dystansowe

Threaded Spacers | Abstandsbolzen

SW 7



Kod Code Artikel-Nr.	SW	(mm)		Gwint Thread Gewinde
		L	C	
ZZ 407/7	7	7	7	M 4
ZZ 408/7	7	8	8	M 4
ZZ 410/7	7	10	10	M 4
ZZ 412/7	7	12	12	M 4
ZZ 413/7	7	13	13	M 4
ZZ 414/7	7	14	14	M 4
ZZ 415/7	7	15	15	M 4
ZZ 416/7	7	16	16	M 4
ZZ 417/7	7	17	17	M 4
ZZ 418/7	7	18	18	M 4
ZZ 420/7	7	20	20	M 4
ZZ 425/7	7	25	8	M 4
ZZ 430/7	7	30	8	M 4
ZZ 435/7	7	35	8	M 4
ZZ 440/7	7	40	8	M 4
ZZ 445/7	7	45	8	M 4
ZZ 450/7	7	50	8	M 4

Materiał: Mosiądz (CuZn39Pb3)

Material: Brass (CuZn39Pb3)

Werkstoff: Messing (CuZn39Pb3)

Powierzchnia: Nikiel

Surface: Nickel

Oberfläche: Vernickelt



HS TECHNIK, Złotniki 18a, 59-223 Krotoszyce
tel. (+48) 663 73 63 63, tel. (+48) 76 745 44 14
e-mail: biuro@hs-technik.com.pl, www.hs-technik.com.pl