



Tulejki dystansowe

Threaded Spacers | Abstandsbolzen

SW 4 * SW 5



Kod Code Artikel-Nr.	SW	(mm)			Gwint Thread Gewinde
		L	B	C min.	
MZ 205	4	5	5	2,5	M 2
MZ 208	4	8	5	5	M 2
MZ 210	4	10	5	5	M 2
MZ 212	4	12	5	5	M 2
MZ 2505	5	5	6	2,5	M 2,5
MZ 2508	5	8	6	5	M 2,5
MZ 2510	5	10	6	6	M 2,5
MZ 2512	5	12	6	6	M 2,5
MZ 2515	5	15	6	6	M 2,5
MZ 2518	5	18	6	6	M 2,5
MZ 2520	5	20	6	6	M 2,5
MZ 2525	5	25	6	6	M 2,5
MZ 2530	5	30	6	6	M 2,5
MZ 2535	5	35	6	6	M 2,5
MZ 2540	5	40	6	6	M 2,5

Materiał: Mosiądz (CuZn39Pb3)

Material: Brass (CuZn39Pb3)

Werkstoff: Messing (CuZn39Pb3)

Powierzchnia: Nikiel

Surface: Nickel

Oberfläche: Vernickelt





HS TECHNIK, Złotniki 18a, 59-223 Krotoszyce
tel. (+48) 663 73 63 63, tel. (+48) 76 745 44 14
e-mail: biuro@hs-technik.com.pl, www.hs-technik.com.pl

Tulejki dystansowe

Threaded Pillars | Abstandsbolzen

SW 5



Kod Code Artikel-Nr.	SW	(mm)			Gwint Thread Gewinde
		L	B	C min.	
MZ 305/5	5	5	6	2,5	M 3
MZ 306/5	5	6	6	3,5	M 3
MZ 308/5	5	8	6	5	M 3
MZ 309/5	5	9	6	6	M 3
MZ 310/5	5	10	6	6	M 3
MZ 312/5	5	12	6	6	M 3
MZ 315/5	5	15	6	6	M 3
MZ 318/5	5	18	6	6	M 3
MZ 320/5	5	20	6	6	M 3
MZ 325/5	5	25	6	6	M 3
MZ 330/5	5	30	6	6	M 3
MZ 335/5	5	35	6	6	M 3
MZ 340/5	5	40	6	6	M 3
MZ 305/5Z8	5	5	8	2,5	M 3
MZ 308/5Z8	5	8	8	5	M 3
MZ 310/5Z8	5	10	8	6	M 3
MZ 312/5Z8	5	12	8	8	M 3
MZ 315/5Z8	5	15	8	8	M 3
MZ 318/5Z8	5	18	8	8	M 3
MZ 320/5Z8	5	20	8	8	M 3
MZ 325/5Z8	5	25	8	8	M 3
MZ 330/5Z8	5	30	8	8	M 3
MZ 335/5Z8	5	35	8	8	M 3
MZ 340/5Z8	5	40	8	8	M 3

Materiał: Mosiądz (CuZn39Pb3)

Material: Brass (CuZn39Pb3)

Werkstoff: Messing (CuZn39Pb3)

Powierzchnia: Nikiel

Surface: Nickel

Oberfläche: Vernickelt





HS TECHNIK, Złotniki 18a, 59-223 Krotoszyce
tel. (+48) 663 73 63 63, tel. (+48) 76 745 44 14
e-mail: biuro@hs-technik.com.pl, www.hs-technik.com.pl

Tulejki dystansowe

Threaded Spacers | Abstandsbolzen

SW 5,5 * SW 7



Kod Code Artikel-Nr.	SW	(mm)			Gwint Thread Gewinde
		L	B	C min.	
MZ 305/5,5	5,5	5	8	2,5	M 3
MZ 308/5,5	5,5	8	8	5	M 3
MZ 310/5,5	5,5	10	8	6	M 3
MZ 312/5,5	5,5	12	8	8	M 3
MZ 315/5,5	5,5	15	8	8	M 3
MZ 318/5,5	5,5	18	8	8	M 3
MZ 320/5,5	5,5	20	8	8	M 3
MZ 325/5,5	5,5	25	8	8	M 3
MZ 330/5,5	5,5	30	8	8	M 3
MZ 335/5,5	5,5	35	8	8	M 3
MZ 340/5,5	5,5	40	8	8	M 3

MZ 408/7	7	8	8	5	M 4
MZ 410/7	7	10	8	6	M 4
MZ 412/7	7	12	8	8	M 4
MZ 413/7	7	13	8	8	M 4
MZ 415/7	7	15	8	8	M 4
MZ 416/7	7	16	8	8	M 4
MZ 417/7	7	17	8	8	M 4
MZ 418/7	7	18	8	8	M 4
MZ 420/7	7	20	8	8	M 4
MZ 425/7	7	25	8	8	M 4
MZ 430/7	7	30	8	8	M 4
MZ 435/7	7	35	8	8	M 4
MZ 440/7	7	40	8	8	M 4

Materiał: Mosiądz (CuZn39Pb3)

Material: Brass (CuZn39Pb3)

Werkstoff: Messing (CuZn39Pb3)

Powierzchnia: Nikiel

Surface: Nickel

Oberfläche: Vernickelt



HS TECHNIK, Złotniki 18a, 59-223 Krotoszyce
tel. (+48) 663 73 63 63, tel. (+48) 76 745 44 14
e-mail: biuro@hs-technik.com.pl, www.hs-technik.com.pl