

HTS/GCK A2

Stal nierdzewna » otwarte » kolnierz stożek » gładkie

Stainless Steel » open end » countersunk head » smooth



| Gwint Thread | | | | | | | | | kod | | € / 100szt. |
|-----------------|------|------|---------|------|------|-----|--|--|--------------------|-----|-------------|
| M3 | 4,9 | 10,0 | 1,7-3,0 | 5,0 | 8,0 | 1,5 | | | HTS/GCK-3,0 M3 A2 | 250 | 15,3 |
| | | 11,0 | 3,0-4,0 | | | | | | HTS/GCK-4,0 M3 A2 | 250 | 16,0 |
| M4 | 5,9 | 10,0 | 1,5-3,5 | 6,0 | 9,0 | 1,5 | | | HTS/GCK-3,5 M4 A2 | 250 | 17,1 |
| | | 10,5 | 2,5-4,0 | | | | | | HTS/GCK-4,0 M4 A2 | 250 | 17,7 |
| | | 11,5 | 3,5-5,0 | | | | | | HTS/GCK-5,0 M4 A2 | 250 | 19,1 |
| M5 | 6,9 | 11,0 | 1,5-3,5 | 7,0 | 10,0 | 1,5 | | | HTS/GCK-3,5 M5 A2 | 250 | 18,0 |
| | | 11,5 | 2,0-4,0 | | | | | | HTS/GCK-4,0 M5 A2 | 250 | 19,2 |
| | | 13,5 | 4,0-6,0 | | | | | | HTS/GCK-6,0 M5 A2 | 250 | 20,8 |
| M6 | 8,9 | 15,5 | 1,5-4,5 | 9,0 | 12,0 | 1,5 | | | HTS/GCK-4,5 M6 A2 | 250 | 22,4 |
| | | 17,5 | 4,5-6,5 | | | | | | HTS/GCK-6,5 M6 A2 | 250 | 24,0 |
| M8 | 10,9 | 17,0 | 1,5-4,5 | 11,0 | 13,7 | 1,5 | | | HTS/GCK-4,5 M8 A2 | 250 | 31,5 |
| | | 19,5 | 3,5-6,5 | | | | | | HTS/GCK-6,5 M8 A2 | 250 | 33,2 |
| | | 22,5 | 6,0-9,0 | | | | | | HTS/GCK-9,0 M8 A2 | 250 | 35,5 |
| M10 | 11,9 | 16,5 | 1,5-4,0 | 12,0 | 15,0 | 1,5 | | | HTS/GCK-4,1 M10 A2 | 100 | 44,4 |
| | | 18,5 | 3,0-6,0 | | | | | | HTS/GCK-6,1 M10 A2 | 100 | 45,6 |
| M10 | 12,4 | 19,5 | 1,7-4,5 | 12,5 | 15,5 | 1,5 | | | HTS/GCK-4,7 M10 A2 | 100 | 45,1 |
| | | 21,5 | 3,5-6,5 | | | | | | HTS/GCK-6,7 M10 A2 | 100 | 46,9 |
| M10 | 12,9 | 20,4 | 1,5-4,0 | 13,0 | 15,7 | 1,6 | | | HTS/GCK-4,0 M10 A2 | 100 | 45,1 |
| | | 23,4 | 3,5-6,5 | | | | | | HTS/GCK-6,5 M10 A2 | 100 | 48,3 |
| | | 26,4 | 6,0-9,0 | | | | | | HTS/GCK-9,0 M10 A2 | 100 | 58,6 |